

## **¬NewYork-Presbyterian**



# COVID-19: INTERIM GUIDANCE FOR ILL HEALTH CARE PERSONNEL (HCP), EXPOSURE INVESTIGATIONS IN HEALTH CARE SETTINGS, AND RETURN FROM TRAVEL April 2, 2021 (Replaces March 24, 2021)

Cases of COVID-19 and community transmission continue to occur in the New York City area. All HCP are strongly encouraged to receive the COVID-19 vaccine as vaccination remains the best way to prevent COVID-19 illness, prevent the emergence of variants, and end the pandemic. To minimize transmission of SARS-CoV-2 from HCP to patients, to other HCP, and to their family and friends, appropriate management of ill HCP, HCP who travel and HCP with potential exposures to individuals with COVID-19 is critical to control the COVID-19 pandemic.

## DAILY STEPS THAT ALL HCP SHOULD ALWAYS FOLLOW, REGARDLESS OF COVID-19 VACCINATION STATUS

- Complete the electronic COVID-19 attestation (e.g., COVID Pass) prior to reporting for work each day.
- Daily COVID-19 symptom monitoring:
  - fever ≥ 100°F OR feeling feverish, chills, or rigors
  - cough
  - o shortness of breath
  - sore throat

- new loss of sense of smell or altered sense of taste
- new onset of lower acuity symptoms (muscle aches, fatigue, headache, nasal congestion OR diarrhea).

#### **HCP WHO DEVELOP SYMPTOMS OF COVID-19**

- If symptoms develop at home:
  - Do NOT report to work.
  - Self-isolate.
  - Notify supervisor, manager, program director, or division chief.
- If symptoms develop at work:
  - Continue to wear surgical face mask and avoid contact with other HCP and patients.
  - Notify supervisor, manager, program director, or division chief.
  - Go home.
- Use NYP COVID Tracker (https://covidtracker.nyp.org) or contact WH&S COVID Hotline (646-697-9470; M-F 7am-5pm; weekend 7am-1pm) to report illness and obtain instructions on testing, if indicated, and guidance on return to work.
  - NYP has developed Discharge Guidance for ill HCP.
- HCP with COVID-19 must meet the following return to work criteria:
  - At least 10 days (possibly longer, based on severity of illness) have passed since symptoms began, AND
  - No fever for at least 24 hours without the use of fever-reducing medications (such as Tylenol®, ibuprofen, or aspirin), AND
  - Symptoms have markedly improved

NYP-AH: 212-932-5219	NYP-CU and NYP-MSCH: 212-305-7025	<b>NYP-WC</b> : 212-746-1754
<b>NYP-WBHC</b> : 914-997-4377	<b>NYP-LMH:</b> 212-312-5976	<b>NYP-LH:</b> 914-787-3045
<b>NYP-BMH:</b> 718-780-3569	NYP-HVH: 914-734-3950	NYP-Q: 718-670-1255



### **¬NewYork-Presbyterian**



COVID-19: INTERIM GUIDANCE FOR ILL HEALTH CARE PERSONNEL (HCP), EXPOSURE INVESTIGATIONS IN HEALTH CARE SETTINGS, AND RETURN FROM TRAVEL April 2, 2021 (Replaces March 24, 2021)

#### **FOLLOWING TRAVEL**

For DOMESTIC TRAVEL, effective April 1, 2021, NYSDOH NO LONGER REQUIRES testing or quarantine for domestic travel (i.e., travel to any state or U.S. territory). All travelers, including those returning from domestic travel, are still required to complete the <a href="NYS Traveler Form">NYS Traveler Form</a> upon return.

For INTERNATIONAL TRAVEL, quarantine and testing requirements are based on NYSDOH requirements and apply to ALL international travelers, including HCP, REGARDLESS of vaccination status, negative test results, or recovery from a prior COVID-19 infection.

Table 1. Quarantine and Testing for International Travel for all HCP (REGARDLESS OF COVID-19 VACCINATION STATUS)

	INTERNATIONAL Travel (Vaccinated and Unvaccinated HCP)	
Notification	Use NYP COVID Tracker or contact WH&S COVID Hotline (646-697-9470; M-F 7am-5pm; weekend 7am-1pm) to report international travel and obtain instructions on testing and quarantine and guidance on return to work.	
Quarantine	<ul> <li>Quarantine x 7 days (Day 0 is day of return to U.S.)</li> <li>Return to work on day 8 if individual remains asymptomatic and tests negative for SARS-CoV-2 3-5 days after return to U.S.</li> </ul>	
Testing <sup>1</sup> (SARS- CoV-2 PCR)	<ul> <li>AFTER<sup>2</sup> arrival in U.S.:</li> <li>Must get tested day 3-5 after return (Day 0 is day of return to U.S.)</li> </ul>	

<sup>&</sup>lt;sup>1</sup>HCP are encouraged to schedule their COVID-19 PCR testing in advance

For more information: NYSDOH Health Care Personnel Return to Work Advisory

#### COMMUNITY OR HEALTH CARE EXPOSURE TO COVID-19

HCP (INCLUDING HCP WHO HAVE RECEIVED THE COVID-19 VACCINE) should report
ALL community exposures to WH&S COVID Hotline (646-697-9470; M-F 7a-5p; weekend
7a-1p) OR see <a href="NYP COVID Tracker">NYP COVID Tracker</a> for initial instructions after hours; and report ALL
health care (occupational) exposures to Infection Prevention & Control (IP&C).

NYP-AH: 212-932-5219	NYP-CU and NYP-MSCH: 212-305-7025	<b>NYP-WC</b> : 212-746-1754
<b>NYP-WBHC</b> : 914-997-4377	<b>NYP-LMH:</b> 212-312-5976	<b>NYP-LH:</b> 914-787-3045
<b>NYP-BMH:</b> 718-780-3569	NYP-HVH: 914-734-3950	NYP-Q: 718-670-1255

<sup>&</sup>lt;sup>2</sup>Please note: **testing prior to return to U.S.** may also be required. Asymptomatic individuals (including HCP) returning from international travel must follow <u>CDC's international travel requirements</u> including showing proof of a negative diagnostic test for COVID-19 no more than 3 days before boarding a flight to return to the U.S. OR documentation of recovery from prior COVID-19 infection (i.e., proof of a recent positive viral test in the past 3 months AND a letter from a health care provider or a public health official stating that the HCP was cleared to travel)



### **¬NewYork-Presbyterian**



# COVID-19: INTERIM GUIDANCE FOR ILL HEALTH CARE PERSONNEL (HCP), EXPOSURE INVESTIGATIONS IN HEALTH CARE SETTINGS, AND RETURN FROM TRAVEL April 2, 2021 (Replaces March 24, 2021)

- SEE TABLE 2 below for exposure criteria for community and health care exposures, as well as the notification/reporting process for each.
- o For health care exposures, IP&C conducts exposure investigations in accordance with current public health recommendations.
- AFTER REPORTING the community or health care exposure, quarantine and testing requirements depend on vaccination status of the exposed HCP and whether they have recovered from a prior COVID-19 infection within 3 months (SEE TABLE 3).
- HCP working in nursing homes may have different requirements from the below and should contact WH&S COVID Hotline (646-697-9470) for specific instructions.

Table 2. Exposure Criteria for HCP (both vaccinated and unvaccinated) following Community and Health Care Exposures<sup>1</sup>

	EXPOSURE CRITERIA	PROCESS
Community Exposure	<ul> <li>Within 6 feet of individual with COVID-19</li> <li>For 10 or more minutes</li> <li>Either one/both the HCP and individual with COVID-19 NOT wearing mask/face covering.</li> </ul>	Use NYP COVID Tracker or contact WH&S COVID Hotline (646-697-9470) to report a community exposure and receive instructions for returning to work based on vaccination status (see Table 3).
Health Care Exposure	NO Aerosol-Generating Procedure performed:  • Within 6 feet of individual with COVID-19  • For 15 or more cumulative minutes over 24 hours  • HCP NOT wearing mask and/or individual with COVID-19 NOT wearing mask, OR  • HCP NOT wearing N95 respirator/mask AND eye protection IF individual with COVID-19 NOT wearing mask  Aerosol-Generating Procedure performed: • HCP NOT wearing both N95 respirator AND eye protection for any length of time.	Contact IP&C to report any potential health care (occupational) exposure for further investigation

<sup>&</sup>lt;sup>1</sup> Exposure criteria are the same for vaccinated and unvaccinated HCP, but the requirements for quarantine differ as described in <u>Table 3</u>.

NYP-AH: 212-932-5219	NYP-CU and NYP-MSCH: 212-305-7025	<b>NYP-WC</b> : 212-746-1754
<b>NYP-WBHC</b> : 914-997-4377	<b>NYP-LMH:</b> 212-312-5976	NYP-LH: 914-787-3045
<b>NYP-BMH:</b> 718-780-3569	NYP-HVH: 914-734-3950	NYP-Q: 718-670-1255



COVID-19: INTERIM GUIDANCE FOR ILL HEALTH CARE PERSONNEL (HCP), EXPOSURE INVESTIGATIONS IN HEALTH CARE SETTINGS, AND RETURN FROM TRAVEL April 2, 2021 (Replaces March 24, 2021)

Table 3: Quarantine Requirements for HCP following either Community or Health Care Exposure<sup>1</sup>

		HCP RECOVERED
FULLY VACCINATED HCP	UNVACCINATED <sup>2</sup> HCP	FROM PRIOR COVID-
TOLLI VACCINATEDITO	ONVACCINATED TICE	19 INFECTION
		WITHIN 3 MONTHS
• DO NOT NEED TO QUARANTINE IF	• QUARANTINE FOR 10 DAYS	• DO NOT NEED TO
meet all the following:	after date of last exposure	QUARANTINE if
○ Are ≥2 weeks after receiving the	• Testing for SARS-CoV-2 is not	remain
second dose of Pfizer or Moderna	required but will be made	asymptomatic
vaccine or ≥2 weeks after	available to exposed HCP via	
receiving one dose of the Johnson & Johnson (Janssen) vaccine	the WH&S COVID-19 Hotline	• DO NOT NEED TO
o Remain asymptomatic	646-697-9470.	UNDERGO SARS-
	○ Optimal time for testing is 5-7	COV-2 TESTING
Testing for SARS-CoV-2 is not	days after exposure	AFTER EXPOSURE
required but will be made available to	○ A negative test result does	
exposed HCP via the WH&S COVID-	NOT eliminate the required	
19 Hotline <b>646-697-9470</b> .	10-day quarantine	
<ul> <li>Optimal time for testing is 5-7 days</li> </ul>	<ul> <li>○ A positive test result may</li> </ul>	
after exposure	influence return to work	
If positive test result:	decision-making.	
<ul> <li>Notify supervisor, manager,</li> </ul>	• If symptoms of COVID-19	
program director, or division chief	develop during the 10-day	
o Go home (or stay home)	quarantine period, see above	
• Use NYP COVID Tracker or	HCP WHO DEVELOP	
contact WH&S COVID Hotline	SYMPTOMS OF COVID-19.	
(646-697-9470; M-F 7a-5p;		
weekend 7a-1p) to report positive		
result and obtain guidance on		
return to work.		

<sup>&</sup>lt;sup>1</sup>See <u>Table 2</u> for exposure criteria

#### For more information:

Novel Coronavirus (COVID-19) page on the NYP Infonet or the CDC's COVID-19 website.

NYP-AH: 212-932-5219	NYP-CU and NYP-MSCH: 212-305-7025	<b>NYP-WC</b> : 212-746-1754
<b>NYP-WBHC</b> : 914-997-4377	<b>NYP-LMH:</b> 212-312-5976	<b>NYP-LH:</b> 914-787-3045
<b>NYP-BMH:</b> 718-780-3569	NYP-HVH: 914-734-3950	NYP-Q: 718-670-1255

<sup>&</sup>lt;sup>2</sup>Unvaccinated = not meeting criteria for Vaccinated HCP (i.e., NOT  $\geq$ 2 weeks after receiving the second dose of Pfizer or Moderna vaccine or  $\geq$ 2 weeks after receiving one dose of the Johnson & Johnson (Janssen) vaccine