

**COVID-19: INTERIM GUIDANCE FOR ILL HEALTH CARE PERSONNEL (HCP), EXPOSURE INVESTIGATIONS IN HEALTH CARE SETTINGS, AND RETURN FROM TRAVEL**  
**April 14, 2021 (Replaces April 2, 2021)**

Cases of COVID-19 and community transmission continue to occur in the New York City area. All HCP are strongly encouraged to receive the COVID-19 vaccine as vaccination remains the best way to prevent COVID-19 illness, prevent the emergence of variants, and end the pandemic. To minimize transmission of SARS-CoV-2 from HCP to patients, to other HCP, and to their family and friends, appropriate management of ill HCP, HCP who travel, and HCP with potential exposures to individuals with COVID-19 is critical to control the COVID-19 pandemic.

**DAILY STEPS THAT ALL HCP SHOULD ALWAYS FOLLOW, REGARDLESS OF COVID-19 VACCINATION STATUS**

- **Complete the electronic COVID-19 attestation** (e.g., COVID Pass) prior to reporting for work each day. Symptom screening before each shift is required by NYSDOH for all HCP.
- **Daily COVID-19 symptom monitoring:**
  - fever  $\geq 100^{\circ}\text{F}$  OR feeling feverish, chills, or rigors
  - cough
  - shortness of breath
  - sore throat
  - new loss of sense of smell or altered sense of taste
  - new onset of lower acuity symptoms (muscle aches, fatigue, headache, nasal congestion OR diarrhea)

**HCP WHO DEVELOP SYMPTOMS OF COVID-19**

- **If symptoms develop at home:**
  - Do **NOT** report to work.
  - Self-isolate.
  - Notify supervisor, manager, program director, or division chief.
- **If symptoms develop at work:**
  - Continue to wear surgical face mask and avoid contact with other HCP and patients.
  - Notify supervisor, manager, program director, or division chief.
  - **Go home.**
- **Use NYP COVID Tracker (<https://covidtracker.nyp.org>) or contact WH&S COVID Hotline (646-697-9470; M-F 7am-5pm; weekend 7am-1pm) to report illness and obtain instructions on testing, if indicated, and guidance on return to work.**
  - NYP has developed [Discharge Guidance](#) for ill HCP.
- **HCP with COVID-19 must meet the following return to work criteria:**
  - At least 10 days (possibly longer, based on severity of illness) have passed since symptoms began, AND
  - No fever for at least 24 hours without the use of fever-reducing medications (such as Tylenol®, ibuprofen, or aspirin), AND
  - Symptoms have markedly improved

**Contact Infection Prevention & Control:**

|                               |  |                             |
|-------------------------------|--|-----------------------------|
| <b>NYP-AH:</b> 212-932-5219   | <b>NYP-CU and NYP-MSCH:</b> 212-305-7025 | <b>NYP-WC:</b> 212-746-1754 |
| <b>NYP-WBHC:</b> 914-997-4377 | <b>NYP-LMH:</b> 212-312-5976             | <b>NYP-LH:</b> 914-787-3045 |
| <b>NYP-BMH:</b> 718-780-3569  | <b>NYP-HVH:</b> 914-734-3950             | <b>NYP-Q:</b> 718-670-1255  |

**COVID-19: INTERIM GUIDANCE FOR ILL HEALTH CARE PERSONNEL (HCP), EXPOSURE INVESTIGATIONS IN HEALTH CARE SETTINGS, AND RETURN FROM TRAVEL**  
 April 14, 2021 (Replaces April 2, 2021)

**FOLLOWING TRAVEL**

**DOMESTIC TRAVEL:** Effective April 1, 2021, NYSDOH NO LONGER REQUIRES testing or quarantine for travel to any state or U.S. territory, **except unvaccinated HCP working in nursing home settings**, who should contact WH&S COVID Hotline (646-697-9470) for specific instructions. All travelers, including those returning from domestic travel, are still required to complete the [NYS Traveler Form](#) upon return.

**INTERNATIONAL TRAVEL:** Effective April 10, 2021, NYSDOH NO LONGER REQUIRES QUARANTINE upon return to the U.S. for international travelers (including HCP) who are FULLY VACCINATED<sup>1</sup> OR who have recovered from documented COVID-19 infection within 3 months.

Table 1. Quarantine and Testing for **INTERNATIONAL TRAVEL** for HCP (based on COVID-19 VACCINATION STATUS or recovery from prior COVID-19 infection)

| POST-INTERNATIONAL TRAVEL REQUIREMENT   | UNVACCINATED <sup>2</sup> HCP | FULLY VACCINATED <sup>1</sup> HCP | HCP RECOVERED FROM COVID-19 WITHIN 3 MONTHS <sup>4</sup> |
|---|-------------------------------|-----------------------------------|--|
| Use <a href="#">NYP COVID Tracker</a> or contact WH&S COVID Hotline (646-697-9470; M-F 7am-5pm; weekend 7am-1pm) to report international travel and obtain instructions on testing and quarantine and guidance on return to work. | <br>Required                  | <br>Required                      | <br>Required   |
| <b>Quarantine x 7 days (Day 0 is day of return to U.S.)</b><br>Return to work on day 8 if remain asymptomatic and test negative for SARS-CoV-2 3-5 days after return to U.S.  | <br>Required                  | Not required                      | Not required   |
| <b>Testing<sup>3</sup> (SARS-CoV-2 PCR) on Day 3-5 AFTER<sup>4</sup> arrival in U.S.</b><br>(Day 0 is day of return to U.S.)  | <br>Required                  | <br>Not required but available    | Not required   |

<sup>1</sup>Fully Vaccinated = **≥2 weeks** after receiving the second dose of Pfizer or Moderna vaccine or **≥2 weeks** after receiving one dose of the Johnson & Johnson (Janssen) vaccine.

<sup>2</sup>Unvaccinated = anyone not meeting criteria for Fully Vaccinated.

<sup>3</sup>HCP are encouraged to schedule their COVID-19 PCR testing in advance.

<sup>4</sup>Please note: **testing PRIOR to return to U.S.** may also be required. Asymptomatic individuals (including **fully vaccinated people**) returning from international travel must follow [CDC's international travel requirements](#)

**Contact Infection Prevention & Control:**

|                               |  |                             |
|-------------------------------|--|-----------------------------|
| <b>NYP-AH:</b> 212-932-5219   | <b>NYP-CU and NYP-MSCH:</b> 212-305-7025 | <b>NYP-WC:</b> 212-746-1754 |
| <b>NYP-WBHC:</b> 914-997-4377 | <b>NYP-LMH:</b> 212-312-5976             | <b>NYP-LH:</b> 914-787-3045 |
| <b>NYP-BMH:</b> 718-780-3569  | <b>NYP-HVH:</b> 914-734-3950             | <b>NYP-Q:</b> 718-670-1255  |

**COVID-19: INTERIM GUIDANCE FOR ILL HEALTH CARE PERSONNEL (HCP), EXPOSURE INVESTIGATIONS IN HEALTH CARE SETTINGS, AND RETURN FROM TRAVEL**

**April 14, 2021 (Replaces April 2, 2021)**

including a negative diagnostic test for COVID-19  $\leq$  3 days before boarding a flight to the U.S. OR documentation of recovery from prior COVID-19 infection

**COMMUNITY OR HEALTH CARE EXPOSURE TO COVID-19**

- **HCP (INCLUDING HCP WHO HAVE RECEIVED THE COVID-19 VACCINE) should report ALL community exposures to WH&S COVID Hotline (646-697-9470; M-F 7a-5p; weekend 7a-1p) OR see [NYP COVID Tracker](#) for initial instructions after hours; and report ALL health care (occupational) exposures to Infection Prevention & Control (IP&C).**
  - **SEE TABLE 2** for exposure criteria and notification/reporting processes for community and health care exposures
- **AFTER REPORTING the exposure, quarantine and testing requirements depend on vaccination status of the exposed HCP and whether they have recovered from a prior COVID-19 infection within 3 months (SEE [TABLE 3](#)).**
- HCP working in nursing homes may have different requirements from the below and should contact WH&S COVID Hotline (646-697-9470) for specific instructions.

**Table 2. EXPOSURE CRITERIA<sup>1</sup> for HCP (both vaccinated and unvaccinated) following Community and Health Care Exposures**

|                             | <b>EXPOSURE CRITERIA<sup>1</sup></b>   | <b>PROCESS</b>   |
|-----------------------------|--|--|
| <b>Community Exposure</b>   | <ul style="list-style-type: none"> <li>• Within <b>6 feet</b> of individual with COVID-19</li> <li>• For <b>10 or more minutes</b></li> <li>• Either one/both the HCP and individual with COVID-19 NOT wearing mask/face covering.</li> </ul>  | <ul style="list-style-type: none"> <li>• Use <a href="#">NYP COVID Tracker</a> or contact <b>WH&amp;S COVID Hotline (646-697-9470)</b> to report a community exposure and receive instructions for returning to work based on vaccination status (see <a href="#">Table 3</a>).</li> </ul> |
| <b>Health Care Exposure</b> | <p><b>NO Aerosol-Generating Procedure performed:</b></p> <ul style="list-style-type: none"> <li>• Within <b>6 feet</b> of individual with COVID-19</li> <li>• For <b>15 or more cumulative minutes over 24 hours</b></li> <li>• HCP NOT wearing mask and/or individual with COVID-19 NOT wearing mask, <b>OR</b></li> <li>• HCP NOT wearing N95 respirator/mask AND eye protection IF individual with COVID-19 NOT wearing mask</li> </ul> | <ul style="list-style-type: none"> <li>• <b>Contact IP&amp;C</b> to report any potential health care (occupational) exposure for further investigation</li> </ul>  |
|                             | <p><b>Aerosol-Generating Procedure performed:</b></p> <ul style="list-style-type: none"> <li>• HCP NOT wearing both N95 respirator AND eye protection <i>for any length of time.</i></li> </ul>  |  |

**Contact Infection Prevention & Control:**

|                               |  |                             |
|-------------------------------|--|-----------------------------|
| <b>NYP-AH:</b> 212-932-5219   | <b>NYP-CU and NYP-MSCH:</b> 212-305-7025 | <b>NYP-WC:</b> 212-746-1754 |
| <b>NYP-WBHC:</b> 914-997-4377 | <b>NYP-LMH:</b> 212-312-5976             | <b>NYP-LH:</b> 914-787-3045 |
| <b>NYP-BMH:</b> 718-780-3569  | <b>NYP-HVH:</b> 914-734-3950             | <b>NYP-Q:</b> 718-670-1255  |

**COVID-19: INTERIM GUIDANCE FOR ILL HEALTH CARE PERSONNEL (HCP), EXPOSURE INVESTIGATIONS IN HEALTH CARE SETTINGS, AND RETURN FROM TRAVEL**  
**April 14, 2021 (Replaces April 2, 2021)**

<sup>1</sup> Exposure criteria are the same for vaccinated and unvaccinated HCP, but requirements for quarantine differ as described in [Table 3](#).

**Table 3: Quarantine Requirements for HCP following either Community or Health Care EXPOSURE<sup>1</sup>**

| POST-EXPOSURE REQUIREMENT  | UNVACCINATED <sup>3</sup> HCP                 | FULLY VACCINATED <sup>2</sup> HCP             | HCP RECOVERED FROM PRIOR COVID-19 INFECTION WITHIN 3 MONTHS |
|--|---|---|---|
| <b>Quarantine x 10 days (Day 0 is day of last exposure)</b><br>Return to work on day 11 if remain asymptomatic   | <br>Required                                  | Not required                                  | Not required  |
| <b>Testing</b> for SARS-CoV-2 is not required but will be made available to exposed HCP via the WH&S COVID-19 Hotline <b>646-697-9470</b> .<br>○ Optimal time for testing is 5-7 days after exposure | <br>Not required but recommended <sup>4</sup> | <br>Not required but recommended <sup>5</sup> | Not recommended   |

<sup>1</sup>See [Table 2](#) for exposure criteria. For ANY exposed HCP (regardless of vaccination status or prior documented COVID-19 infection), if symptoms of COVID-19 develop following an exposure, see above [HCP WHO DEVELOP SYMPTOMS OF COVID-19](#).

<sup>2</sup>Fully Vaccinated = **≥2 weeks** after receiving the second dose of Pfizer or Moderna vaccine or **≥2 weeks** after receiving one dose of the Johnson & Johnson (Janssen) vaccine.

<sup>3</sup>Unvaccinated = anyone not meeting criteria for Fully Vaccinated.

<sup>4</sup>For unvaccinated HCP, a negative test result does NOT eliminate the required 10-day quarantine. A positive test result may influence return to work decision-making.

<sup>5</sup>For fully vaccinated HCP, if test positive, see above [HCP WHO DEVELOP SYMPTOMS OF COVID-19](#).

**For more information:**

[Novel Coronavirus \(COVID-19\) page](#) on the NYP Infonet, the [CDC’s COVID-19 website](#), [NYSDOH Travel Advisory](#), or [NYSDOH Health Care Personnel Return to Work Advisory](#)

**Contact Infection Prevention & Control:**

|                               |  |                             |
|-------------------------------|--|-----------------------------|
| <b>NYP-AH:</b> 212-932-5219   | <b>NYP-CU and NYP-MSCH:</b> 212-305-7025 | <b>NYP-WC:</b> 212-746-1754 |
| <b>NYP-WBHC:</b> 914-997-4377 | <b>NYP-LMH:</b> 212-312-5976             | <b>NYP-LH:</b> 914-787-3045 |
| <b>NYP-BMH:</b> 718-780-3569  | <b>NYP-HVH:</b> 914-734-3950             | <b>NYP-Q:</b> 718-670-1255  |